



主要技术参数 Main Technical Specifications

型号 Machine Model		GZPK3559	GZPK3555	GZPK3545	GZPK3537
冲模数 Number of Stations		59	55	45	37
冲具型式 Tooling Standard		EUI9 BBS	TSM 19 (EUI9) BB	TSM 19 (EUI9) B	TSM 1" (EU1") D
最大片径 Maximum Tablet Diameter	mm	11	13	16	25
最大充填深度 Maximum Filling Depth	mm	18			
最大转台转速 Maximum Speed	r/min	80			
最大产量 Maximum Output	Tablets/h	566400	528000	415800	341880
最大主压力 Main Compression Force	kN	100			
最大预压力 Precompression Force	kN	20			
上冲进模深度 The depth of upper punch entering into die	mm	2~8			
工作电压 Main Power Supply	V/Hz	AC 380/50三相			
主电机功率 Main Motor	kW	15			
机器占地面积 Machine Dimengions	mm×mm	1100×1090			
机器高度 Height of Machine	mm	2180			
机器重量 Machine weight	kg	3800			

产品简介 Main Application:


GZPK3500系列旋转式压片机是一种系列化产品。主要用于制药行业，亦能用于化工、食品、电子等行业。它可以生产各种规格的圆形片、特殊形状的异形片和双面刻字片。

This machine is mainly used in pharmaceutical, chemistry, foodstuff, electronic, daily utensil industry. It could be used to produce round, double-sided, engraved or irregular tablets in a wide variety of shapes.

主要特点 Main Characteristics:

- ◆ 高速，双出片，高产量。
- ◆ 超大触摸操作屏，计算机实时全自动控制。
- ◆ 预压、主压两次成型，主压可达到100kN。
- ◆ 片厚调整与充填计量，均采用国际著名品牌的控制系统和测量装置，位置精度高。
- ◆ 采用德国著名品牌的压力采样系统，以及德国西门子公司的先进控制模式，片重精度可达到±1.5%。
- ◆ 采用日本三菱公司的变频控制系统，速度调节稳定可靠。
- ◆ 符合美国联邦法——21 CFR PART 11，具有电子签名和电子记录功能。
- ◆ 符合美国FDA和欧盟的GMP。
- ◆ 经过工业造型设计，外型新颖美观、大方简洁

- ◆ High capacity, double sided output, high cost effective;
- ◆ Large color touch screen operation, real-time control system;
- ◆ Pre compression and main compression setting, main compression reach 100kN;
- ◆ Adjustment-Tablet thickness, insertion depth;
- ◆ German made high quality sampling system, Siemens advanced control mode, tablet weight accuracy call reach ± 1.5%;
- ◆ Mitsubishi Frequency Control System, stable and reliable speed regulation;
- ◆ Comply with 21 CFR PART 11 and GMP, with electronic signatures and electronic record;
- ◆ Novel and beautiful appearance design, elegant simplicity;



安装图 Installation Drawing